

Exercises: Artificial Intelligence

Automated Reasoning: Good to walk

Automated Reasoning: Resolution

INTRODUCTION

Introduction

- *Prove Q from T*
 - Translate Q and T to logic
 - Let T' be $T \cup \{\neg Q\}$
 - Transform all formula in T' to implicative normal form:
 - $A_1 \vee \dots \vee A_n \leftarrow B_1 \wedge \dots \wedge B_m$
 - $\text{false} \leftarrow B_1 \wedge \dots \wedge B_m$
 - $A_1 \vee \dots \vee A_n \leftarrow \text{true}$
 - Derive contradiction: $\text{false} \leftarrow \text{true}$

Introduction

- *Resolution propositional logic:*
 - Given two formula:
 - $\dots \vee p \vee \dots \leftarrow \dots \wedge \dots \wedge \dots$
 - $\dots \vee \dots \vee \dots \leftarrow \dots \wedge p \wedge \dots$
 - Derive new formula:
 - $(\dots \vee p \vee \dots) \vee (\dots \vee \dots \vee \dots) \leftarrow (\dots \wedge \dots \wedge \dots) \wedge (\dots \wedge p \wedge \dots)$

Introduction

- *Dealing with variables:*
 - Substitution is assignment of values to variables:
 - E.g. replace x by A : $\theta = \{x/A\}$
 - $(p(x,y))\theta = p(A,y)$
 - Given atoms A, A'
 - Most general unifying substitution (mgu) is
 - Substitution θ such that $A\theta = A'\theta$
 - θ does not replace variables unless necessary
 - Example: $A=p(x,y), A'=p(A,z) \implies \text{mgu}(A,A')=\{x/A,y/z\}$

Introduction

- *Resolution predicate logic:*
 - Given two formula:
 - $\dots \vee A \vee \dots \leftarrow \dots \wedge \dots \wedge \dots$
 - $\dots \vee \dots \vee \dots \leftarrow \dots \wedge A' \wedge \dots$
 - Such that there exists an $\text{mgu}(A, A') = \theta$
 - Derive new formula:
 - $((\dots \vee A \vee \dots) \vee (\dots \vee \dots \vee \dots) \leftarrow (\dots \wedge \dots \wedge \dots) \wedge (\dots \wedge A' \wedge \dots))\theta$

Introduction

- *Another inference rule: Factoring*
 - Given formula: $(\dots \vee A \vee A' \vee \dots \leftarrow \dots \wedge \dots \wedge \dots)$
 - Such that there exists an $\text{mgu}(A, A') = \theta$
 - Derive new formula:
 - $(\dots \vee A \vee A' \vee \dots \leftarrow \dots \wedge \dots \wedge \dots)\theta$
 - Given formula: $(\dots \vee \dots \vee \dots \leftarrow \dots \wedge A \wedge A' \wedge \dots)$
 - Such that there exists an $\text{mgu}(A, A') = \theta$
 - Derive new formula:
 - $(\dots \vee \dots \vee \dots \leftarrow \dots \wedge A \wedge A' \wedge \dots)\theta$

Automated Reasoning: Good to walk

PROBLEM

Problem

- *Convert to logic:*
 - *It is raining, it is snowing or it is dry.*
 - *It is warm.*
 - *It is not raining.*
 - *It is not snowing.*
 - *If the weather is nice, then it is good to walk.*
 - *If the weather is dry and warm, the weather is nice.*

Automated Reasoning: Good to walk

SOLUTION

Solution

- *It is raining, it is snowing or it is dry.*
 - **raining** \vee **snowing** \vee **dry** (\leftarrow true)
- *It is warm.*
- *It is not raining.*
- *It is not snowing.*
- *If the weather is nice, then it is good to walk.*
- *If the weather is dry and warm, the weather is nice.*

Solution

- raining \vee snowing \vee dry (\leftarrow true)
- *It is warm.*
 - **warm (\leftarrow true)**
- *It is not raining.*
- *It is not snowing.*
- *If the weather is nice, then it is good to walk.*
- *If the weather is dry and warm, the weather is nice.*

Solution

- raining \vee snowing \vee dry (\leftarrow true)
- warm (\leftarrow true)
- *It is not raining.*
 - **false** \leftarrow raining OR \neg raining
- *It is not snowing.*
- *If the weather is nice, then it is good to walk.*
- *If the weather is dry and warm, the weather is nice.*

Solution

- raining \vee snowing \vee dry (\leftarrow true)
- warm (\leftarrow true)
- false \leftarrow raining OR \neg raining
- *It is not snowing.*
 - **false \leftarrow snowing OR \neg snowing**
- *If the weather is nice, then it is good to walk.*
- *If the weather is dry and warm, the weather is nice.*

Solution

- raining \vee snowing \vee dry (\leftarrow true)
- warm (\leftarrow true)
- false \leftarrow raining OR \neg raining
- false \leftarrow snowing OR \neg snowing
- *If the weather is nice, then it is good to walk.*
 - **walk \leftarrow nice**
- *If the weather is dry and warm, the weather is nice.*

Solution

- $\text{raining} \vee \text{snowing} \vee \text{dry} (\leftarrow \text{true})$
- $\text{warm} (\leftarrow \text{true})$
- $\text{false} \leftarrow \text{raining} \quad \text{OR} \quad \neg \text{raining}$
- $\text{false} \leftarrow \text{snowing} \quad \text{OR} \quad \neg \text{snowing}$
- $\text{walk} \leftarrow \text{nice}$
- *If the weather is dry and warm, the weather is nice.*
 - **$\text{nice} \leftarrow \text{dry} \wedge \text{warm}$**

Solution

- $\text{raining} \vee \text{snowing} \vee \text{dry} (\leftarrow \text{true})$
- $\text{warm} (\leftarrow \text{true})$
- $\text{false} \leftarrow \text{raining} \quad \text{OR} \quad \neg \text{raining}$
- $\text{false} \leftarrow \text{snowing} \quad \text{OR} \quad \neg \text{snowing}$
- $\text{walk} \leftarrow \text{nice}$
- $\text{nice} \leftarrow \text{dry} \wedge \text{warm}$

Solution

- *Convert sentences to implicative normal form:*
 - raining \vee snowing \vee dry (\leftarrow true)
 - warm (\leftarrow true)
 - false \leftarrow raining
 - false \leftarrow snowing
 - walk \leftarrow nice
 - nice \leftarrow dry \wedge warm

Automated Reasoning: Good to walk

PROBLEM

Problem

- *Prove by resolution: “It is good to walk”*

Automated Reasoning: Good to walk

SOLUTION

Solution

- *Prove by resolution: “It is good to walk”*
- *We assume that it is not good to walk:*
 - **false** \leftarrow **walk**

Solution


- *We assume that it is not good to walk:*
 - **false** ← walk
- *Given:*
 - raining \vee snowing \vee dry (← true)
 - warm (← true)
 - false ← raining
 - false ← snowing
 - walk ← nice
 - nice ← dry \wedge warm

Solution


false ← walk

Solution


walk ← **nice** **false** ← **walk**
 false ← **nice**



Solution



Solution



Solution

walk \leftarrow nice

nice \leftarrow dry \wedge warm

warm \leftarrow true

raining \vee snowing \vee dry \leftarrow true

false \leftarrow walk


false \leftarrow nice

false \leftarrow dry \wedge warm


false \leftarrow dry

raining \vee snowing \leftarrow true

Solution



Solution



Solution

- *Prove by resolution: “It is good to walk”*
 - *We assume that it is not good to walk:*
 - **false ← walk**
 - *This leads to a contradiction:*
 - **false ← true**
 - **Thus, “It is good to walk”**

Exercises: Artificial Intelligence

Automated Reasoning: MGU

Automated Reasoning: MGU

INTRODUCTION: UNIFICATION

Procedure Unify(a,b):

- $mgu := \{a=b\}$; stop := false;
- WHILE (**not(stop)**) AND **mgu contains $s=t$**
 - **Case1: t is a variable, s is not a variable:**
 - Replace $s = t$ by $t = s$ in mgu
 - **Case2: s is a variable, t is the SAME variable:**
 - *Delete $s=t$ from mgu*
 - **Case3: s is a variable, t is not a variable and contains s:**
 - *stop := true*
 - **Case4: s is a variable, t is not identical to nor contains s:**
 - *Replace all occurrences of s in mgu by t*
 - **Case5: s is of the form $f(s_1, \dots, s_n)$, t of $g(t_1, \dots, t_m)$:**
 - *If f not equal to g or m not equal to n then stop := true*
 - *Else replace $s=t$ in mgu by $s_1 = t_1, \dots, s_n = t_n$*

Automated Reasoning: MGU

PROBLEM

Problem

- *What is the m.g.u. of:*
 - $p(f(y), w, g(z, y)) = p(x, x, g(z, A))$
 - $p(A, x, f(g(y))) = p(z, f(z), f(A))$
 - $q(x, x) = q(y, f(y))$
 - $f(x, g(f(a), u)) = f(g(u, v), x)$

Automated Reasoning: MGU

SOLUTION

Solution

- *What is the m.g.u. of: $p(f(y), w, g(z, y)) = p(x, x, g(z, A))$*
 - ***Init:*** $p(f(y), w, g(z, y)) = p(x, x, g(z, A))$

Solution

- *What is the m.g.u. of: $p(f(y), w, g(z, y)) = p(x, x, g(z, A))$*
 - *Init: $p(f(y), w, g(z, y)) = p(x, x, g(z, A))$*
 - **Case 5:** $f(y) = x, w = x, g(z, y) = g(z, A)$

Solution

- *What is the m.g.u. of: $p(f(y), w, g(z, y)) = p(x, x, g(z, A))$*
 - *Init: $p(f(y), w, g(z, y)) = p(x, x, g(z, A))$*
 - *Case 5: $f(y) = x, w = x, g(z, y) = g(z, A)$*
 - **Case 1:** *$x = f(y), w = x, g(z, y) = g(z, A)$*

Solution

- *What is the m.g.u. of: $p(f(y), w, g(z, y)) = p(x, x, g(z, A))$*
 - *Init: $p(f(y), w, g(z, y)) = p(x, x, g(z, A))$*
 - *Case 5: $f(y) = x, w = x, g(z, y) = g(z, A)$*
 - *Case 1: $x = f(y), w = x, g(z, y) = g(z, A)$*
 - **Case 4: $x = f(y), w = f(y), g(z, y) = g(z, A)$**

Solution

- *What is the m.g.u. of: $p(f(y), w, g(z, y)) = p(x, x, g(z, A))$*
 - *Init: $p(f(y), w, g(z, y)) = p(x, x, g(z, A))$*
 - *Case 5: $f(y) = x, w = x, g(z, y) = g(z, A)$*
 - *Case 1: $x = f(y), w = x, g(z, y) = g(z, A)$*
 - *Case 4: $x = f(y), w = f(y), g(z, y) = g(z, A)$*
 - **Case 5: $x = f(y), w = f(y), z = z, y = A$**

Solution

- *What is the m.g.u. of: $p(f(y), w, g(z, y)) = p(x, x, g(z, A))$*
 - *Init: $p(f(y), w, g(z, y)) = p(x, x, g(z, A))$*
 - *Case 5: $f(y) = x, w = x, g(z, y) = g(z, A)$*
 - *Case 1: $x = f(y), w = x, g(z, y) = g(z, A)$*
 - *Case 4: $x = f(y), w = f(y), g(z, y) = g(z, A)$*
 - *Case 5: $x = f(y), w = f(y), z = z, y = A$*
 - ***Case 2: $x = f(y), w = f(y), y = A$***

Solution

- *What is the m.g.u. of: $p(f(y), w, g(z, y)) = p(x, x, g(z, A))$*
 - *Init: $p(f(y), w, g(z, y)) = p(x, x, g(z, A))$*
 - *Case 5: $f(y) = x, w = x, g(z, y) = g(z, A)$*
 - *Case 1: $x = f(y), w = x, g(z, y) = g(z, A)$*
 - *Case 4: $x = f(y), w = f(y), g(z, y) = g(z, A)$*
 - *Case 5: $x = f(y), w = f(y), z = z, y = A$*
 - *Case 2: $x = f(y), w = f(y), y = A$*
 - **Case 4: $x = f(A), w = f(A), y = A$**

Solution

- *What is the m.g.u. of: $p(f(y), w, g(z, y)) = p(x, x, g(z, A))$*
 - *MGU:*
 - $x/f(A), w/f(A), y/A$
 - *Result:*
 - $p(f(A), f(A), g(z, A))$

Automated Reasoning: MGU

SOLUTION

Solution

- *What is the m.g.u. of: $p(A, x, f(g(y))) = p(z, f(z), f(A))$*
 - **Init:** $p(A, x, f(g(y))) = p(z, f(z), f(A))$

Solution

- *What is the m.g.u. of: $p(A, x, f(g(y))) = p(z, f(z), f(A))$*
 - *Init: $p(A, x, f(g(y))) = p(z, f(z), f(A))$*
 - **Case 5:** $A = z, x = f(z), f(g(y)) = f(A)$

Solution

- *What is the m.g.u. of: $p(A, x, f(g(y))) = p(z, f(z), f(A))$*
 - *Init: $p(A, x, f(g(y))) = p(z, f(z), f(A))$*
 - *Case 5: $A = z, x = f(z), f(g(y)) = f(A)$*
 - **Case 1: $z = A, x = f(z), f(g(y)) = f(A)$**

Solution

- *What is the m.g.u. of: $p(A, x, f(g(y))) = p(z, f(z), f(A))$*
 - *Init: $p(A, x, f(g(y))) = p(z, f(z), f(A))$*
 - *Case 5: $A = z, x = f(z), f(g(y)) = f(A)$*
 - *Case 1: $z = A, x = f(z), f(g(y)) = f(A)$*
 - **Case 4: $z = A, x = f(A), f(g(y)) = f(A)$**

Solution

- *What is the m.g.u. of: $p(A, x, f(g(y))) = p(z, f(z), f(A))$*
 - *Init: $p(A, x, f(g(y))) = p(z, f(z), f(A))$*
 - *Case 5: $A = z, x = f(z), f(g(y)) = f(A)$*
 - *Case 1: $z = A, x = f(z), f(g(y)) = f(A)$*
 - *Case 4: $z = A, x = f(A), f(g(y)) = f(A)$*
 - **Case 5: $z = A, x = f(A), g(y) = A$**

Solution

- *What is the m.g.u. of: $p(A, x, f(g(y))) = p(z, f(z), f(A))$*
 - *Init: $p(A, x, f(g(y))) = p(z, f(z), f(A))$*
 - *Case 5: $A = z, x = f(z), f(g(y)) = f(A)$*
 - *Case 1: $z = A, x = f(z), f(g(y)) = f(A)$*
 - *Case 4: $z = A, x = f(A), f(g(y)) = f(A)$*
 - *Case 5: $z = A, x = f(A), g(y) = A$*
 - ***Case 5: stop := true***

Automated Reasoning: MGU

SOLUTION

Solution

- *What is the m.g.u. of: $q(x,x) = q(y,f(y))$*
 - ***Init:*** $q(x,x) = q(y,f(y))$

Solution

- *What is the m.g.u. of: $q(x,x) = q(y,f(y))$*
 - *Init: $q(x,x) = q(y,f(y))$*
 - ***Case 5: $x = y, x = f(y)$***

Solution

- *What is the m.g.u. of: $q(x,x) = q(y,f(y))$*
 - *Init: $q(x,x) = q(y,f(y))$*
 - *Case 5: $x = y, x = f(y)$*
 - **Case 4: $x = y, y = f(y)$**

Solution

- *What is the m.g.u. of: $q(x,x) = q(y,f(y))$*
 - *Init: $q(x,x) = q(y,f(y))$*
 - *Case 5: $x = y, x = f(y)$*
 - *Case 4: $x = y, y = f(y)$*
 - ***Case 3: stop := true***

Automated Reasoning: MGU

SOLUTION

Solution

- *What is the m.g.u. of: $f(x, g(f(a), u)) = f(g(u, v), x)$*
 - **Init:** $f(x, g(f(a), u)) = f(g(u, v), x)$

Solution

- *What is the m.g.u. of: $f(x, g(f(a), u)) = f(g(u, v), x)$*
 - *Init: $f(x, g(f(a), u)) = f(g(u, v), x)$*
 - **Case 5:** $x = g(u, v), g(f(a), u) = x$

Solution

- *What is the m.g.u. of: $f(x, g(f(a), u)) = f(g(u, v), x)$*
 - *Init: $f(x, g(f(a), u)) = f(g(u, v), x)$*
 - *Case 5: $x = g(u, v), g(f(a), u) = x$*
 - **Case 4: $x = g(u, v), g(f(a), u) = g(u, v)$**

Solution

- *What is the m.g.u. of: $f(x, g(f(a), u)) = f(g(u, v), x)$*
 - *Init: $f(x, g(f(a), u)) = f(g(u, v), x)$*
 - *Case 5: $x = g(u, v), g(f(a), u) = x$*
 - *Case 4: $x = g(u, v), g(f(a), u) = g(u, v)$*
 - **Case 5: $x = g(u, v), f(a) = u, u = v$**

Solution

- *What is the m.g.u. of: $f(x, g(f(a), u)) = f(g(u, v), x)$*
 - *Init: $f(x, g(f(a), u)) = f(g(u, v), x)$*
 - *Case 5: $x = g(u, v), g(f(a), u) = x$*
 - *Case 4: $x = g(u, v), g(f(a), u) = g(u, v)$*
 - *Case 5: $x = g(u, v), f(a) = u, u = v$*
 - ***Case 1: $x = g(u, v), u = f(a), u = v$***

Solution

- *What is the m.g.u. of: $f(x, g(f(a), u)) = f(g(u, v), x)$*
 - *Init: $f(x, g(f(a), u)) = f(g(u, v), x)$*
 - *Case 5: $x = g(u, v), g(f(a), u) = x$*
 - *Case 4: $x = g(u, v), g(f(a), u) = g(u, v)$*
 - *Case 5: $x = g(u, v), f(a) = u, u = v$*
 - *Case 1: $x = g(u, v), u = f(a), u = v$*
 - **Case 4: $x = g(f(a), v), u = f(a), f(a) = v$**

Solution

- *What is the m.g.u. of: $f(x, g(f(a), u)) = f(g(u, v), x)$*
 - *Init: $f(x, g(f(a), u)) = f(g(u, v), x)$*
 - *Case 5: $x = g(u, v), g(f(a), u) = x$*
 - *Case 4: $x = g(u, v), g(f(a), u) = g(u, v)$*
 - *Case 5: $x = g(u, v), f(a) = u, u = v$*
 - *Case 1: $x = g(u, v), u = f(a), u = v$*
 - *Case 4: $x = g(f(a), v), u = f(a), f(a) = v$*
 - **Case 1: $x = g(f(a), v), u = f(a), v = f(a)$**

Solution

- *What is the m.g.u. of: $f(x, g(f(a), u)) = f(g(u, v), x)$*
 - *Init: $f(x, g(f(a), u)) = f(g(u, v), x)$*
 - *Case 5: $x = g(u, v), g(f(a), u) = x$*
 - *Case 4: $x = g(u, v), g(f(a), u) = g(u, v)$*
 - *Case 5: $x = g(u, v), f(a) = u, u = v$*
 - *Case 1: $x = g(u, v), u = f(a), u = v$*
 - *Case 4: $x = g(f(a), v), u = f(a), f(a) = v$*
 - *Case 1: $x = g(f(a), v), u = f(a), v = f(a)$*
 - **Case 4:** $x = g(f(a), f(a)), u = f(a), v = f(a)$

Solution

- *What is the m.g.u. of: $f(x, g(f(a), u)) = f(g(u, v), x)$*
 - *MGU:*
 - $x/g(f(a), f(a)), u/f(a), v/f(a)$
 - *Result:*
 - $f(g(f(a), f(a)), g(f(a), f(a)))$

Exercises: Artificial Intelligence

Automated Reasoning: Resolution

Automated Reasoning: Resolution

PROBLEM

Problem

- *Is there anyone who is a mother-in-law of Peter ?*
 - $\text{mother-in-law}(x,y) \leftarrow \text{mother}(x,z) \wedge \text{married}(z,y)$
 - $\text{mother}(x,y) \leftarrow \text{female}(x) \wedge \text{parent}(x,y)$
 - $\text{female}(A_n) (\leftarrow \text{true})$
 - $\text{parent}(A_n, \text{Maria}) (\leftarrow \text{true})$
 - $\text{married}(\text{Maria}, \text{Peter}) (\leftarrow \text{true})$

Automated Reasoning: Resolution

SOLUTION

Solution

- *Assumption: Peter has no mother-in-law*
 - $\text{false} \leftarrow \text{mother-in-law}(x, \text{Peter})$
- *Given:*
 - $\text{mother-in-law}(x, y) \leftarrow \text{mother}(x, z) \wedge \text{married}(z, y)$
 - $\text{mother}(x, y) \leftarrow \text{female}(x) \wedge \text{parent}(x, y)$
 - $\text{female}(\text{An}) (\leftarrow \text{true})$
 - $\text{parent}(\text{An}, \text{Maria}) (\leftarrow \text{true})$
 - $\text{married}(\text{Maria}, \text{Peter}) (\leftarrow \text{true})$

Solution

- `false ← mother-in-law(x, Peter)`

Solution

- $\text{false} \leftarrow \text{mother-in-law}(x, \text{Peter})$
 - $\text{mother-in-law}(x', y') \leftarrow \text{mother}(x', z') \wedge \text{married}(z', y')$
 - $\{x'/x, y'/\text{Peter}\}$
- $\text{false} \leftarrow \text{mother}(x, z') \wedge \text{married}(z', \text{Peter})$

Solution

- $\text{false} \leftarrow \text{mother-in-law}(x, \text{Peter})$
- $\text{false} \leftarrow \text{mother}(x, z') \wedge \text{married}(z', \text{Peter})$
 - $\text{mother}(x', y') \leftarrow \text{female}(x') \wedge \text{parent}(x', y')$
 - $\{x'/x, y'/z'\}$
- $\text{false} \leftarrow \text{female}(x) \wedge \text{parent}(x, z') \wedge \text{married}(z', \text{Peter})$

Solution

- $\text{false} \leftarrow \text{mother-in-law}(x, \text{Peter})$
- $\text{false} \leftarrow \text{mother}(x, z') \wedge \text{married}(z', \text{Peter})$
- $\text{false} \leftarrow \text{female}(x) \wedge \text{parent}(x, z') \wedge \text{married}(z', \text{Peter})$
 - $\text{female}(An)$
 - $\{x/An\}$
- $\text{false} \leftarrow \text{parent}(An, z') \wedge \text{married}(z', \text{Peter})$

Solution

- $\text{false} \leftarrow \text{mother-in-law}(x, \text{Peter})$
- $\text{false} \leftarrow \text{mother}(x, z') \wedge \text{married}(z', \text{Peter})$
- $\text{false} \leftarrow \text{female}(x) \wedge \text{parent}(x, z') \wedge \text{married}(z', \text{Peter})$
- $\text{false} \leftarrow \text{parent}(\text{An}, z') \wedge \text{married}(z', \text{Peter})$
 - $\text{parent}(\text{An}, \text{Maria})$
 - $\{z' / \text{Maria}\}$
- $\text{false} \leftarrow \text{married}(\text{Maria}, \text{Peter})$

Solution

$\{x/An\}$

- false \leftarrow mother-in-law(x,Peter)
- false \leftarrow mother(x,z') \wedge married(z',Peter)
- false \leftarrow female(x) \wedge parent(x,z') \wedge married(z',Peter)
- false \leftarrow parent(An,z') \wedge married(z',Peter)
- false \leftarrow married(Maria,Peter)
 - married(Maria,Peter)
- false \leftarrow true (\square)

Automated Reasoning: Resolution

PROBLEM

Problem

- *Is there a valid colouring of a map of Belgium, the Netherlands, and Germany?*
 - `color(Red) (← true)`
 - `color(Green) (← true)`
 - `color(Blue) (← true)`
 - `neighbour(x,y) ← color(x), color(y), diff(x,y)`
- `diff/2` succeeds when arguments cannot be unified

Automated Reasoning: Resolution

SOLUTION

Solution

- *Assumption: “There is no valid colouring”*
 - $false \leftarrow nb(b,g), nb(g,n), nb(n,b)$
- *Given:*
 - $c(R) \leftarrow true$
 - $c(G) \leftarrow true$
 - $c(B) \leftarrow true$
 - $nb(x,y) \leftarrow c(x), c(y), diff(x,y)$
 - $diff/2$ succeeds when arguments cannot be unified

Solution

- $\text{false} \leftarrow \text{nb}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$

Solution

- $\text{false} \leftarrow \text{nb}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$
 - $\text{nb}(x',y') \leftarrow c(x'), c(y'), \text{diff}(x',y')$
 - $\{x'/b, y'/g\}$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$

Solution

- $\text{false} \leftarrow \text{nb}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$
 - $\text{nb}(x',y') \leftarrow c(x'), c(y'), \text{diff}(x',y')$
 - $\{x'/g, y'/n\}$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{nb}(n,b)$

Solution

- $\text{false} \leftarrow \text{nb}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{nb}(n,b)$
 - $\text{nb}(x',y') \leftarrow c(x'), c(y'), \text{diff}(x',y')$
 - $\{x'/n, y'/b\}$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{diff}(n,b)$

Solution

- $\text{false} \leftarrow \text{nb}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{diff}(n,b)$
 - $c(R)$
 - $\{b/R\}$
- $\text{false} \leftarrow c(g) \wedge \text{diff}(R,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{diff}(n,R)$

Solution

- $\text{false} \leftarrow \text{nb}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{diff}(n,b)$
- $\text{false} \leftarrow c(g) \wedge \text{diff}(R,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{diff}(n,R)$
 - $c(G)$
 - $\{g/G\}$
- $\text{false} \leftarrow \text{diff}(R,G) \wedge c(n) \wedge \text{diff}(G,n) \wedge \text{diff}(n,R)$

Solution

- $\text{false} \leftarrow \text{nb}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{diff}(n,b)$
- $\text{false} \leftarrow c(g) \wedge \text{diff}(R,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{diff}(n,R)$
- $\text{false} \leftarrow \text{diff}(R,G) \wedge c(n) \wedge \text{diff}(G,n) \wedge \text{diff}(n,R)$
 - $c(B)$
 - $\{n/B\}$
- $\text{false} \leftarrow \text{diff}(R,G) \wedge \text{diff}(G,B) \wedge \text{diff}(B,R)$

Solution

$\{b/R, g/G, n/B\}$

- $\text{false} \leftarrow \text{nb}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{diff}(n,b)$
- $\text{false} \leftarrow c(g) \wedge \text{diff}(R,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{diff}(n,R)$
- $\text{false} \leftarrow \text{diff}(R,G) \wedge c(n) \wedge \text{diff}(G,n) \wedge \text{diff}(n,R)$
- $\text{false} \leftarrow \text{diff}(R,G) \wedge \text{diff}(G,B) \wedge \text{diff}(B,R)$
 - Built-in $\text{diff}/2$: succeeds for different arguments
- $\text{false} \leftarrow \text{true} (\square)$

Alternative solution

b/B, g/G, n/R

- $\text{false} \leftarrow \text{nb}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{diff}(n,b)$
- $\text{false} \leftarrow c(g) \wedge \text{diff}(\underline{\mathbf{B}},g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{diff}(n,\underline{\mathbf{B}})$
- $\text{false} \leftarrow \text{diff}(\underline{\mathbf{B}},G) \wedge c(n) \wedge \text{diff}(G,n) \wedge \text{diff}(n,\underline{\mathbf{B}})$
- $\text{false} \leftarrow \text{diff}(\underline{\mathbf{B}},G) \wedge \text{diff}(G,\underline{\mathbf{R}}) \wedge \text{diff}(\underline{\mathbf{R}},\underline{\mathbf{B}})$
 - Built-in `diff/2`: succeeds for different arguments
- $\text{false} \leftarrow \text{true} (\square)$

Or consistency = Continue search

- $\text{false} \leftarrow \text{nb}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge \text{nb}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{nb}(n,b)$
- $\text{false} \leftarrow c(b) \wedge c(g) \wedge \text{diff}(b,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{diff}(n,b)$
- $\text{false} \leftarrow c(g) \wedge \text{diff}(R,g) \wedge c(n) \wedge \text{diff}(g,n) \wedge \text{diff}(n,R)$
- $\text{false} \leftarrow \text{diff}(R,\underline{\mathbf{R}}) \wedge c(n) \wedge \text{diff}(\underline{\mathbf{R}},n) \wedge \text{diff}(n,R)$
- $\text{false} \leftarrow \text{diff}(R,\underline{\mathbf{R}}) \wedge \text{diff}(\underline{\mathbf{R}},B) \wedge \text{diff}(B,R)$
 - $\text{diff}(R,R)$ is false
- $\text{false} \leftarrow \text{false}$

Exercises: Artificial Intelligence

Automated Reasoning: Predicate
Resolution

Automated Reasoning: Predicate Resolution

PROBLEM

Problem

- Resolution in predicate logic:
 - Given, the formula in first order predicate logic:
 - $\forall x p(x) \vee \neg r(f(x))$
 - $\forall x \forall y r(f(x)) \vee r(f(f(y)))$
 - Here, x and y are variables.
- Give an explicit resolution proof (graphical) for:
 - $\forall x \exists y p(f(x)) \wedge r(y)$ entailed by the given formula

Automated Reasoning: Predicate Resolution

SOLUTION

Solution

- Formula in implicative normal form:

$$- \forall x p(x) \vee \neg r(f(x))$$

- $p(x) \leftarrow r(f(x))$

$$- \forall x \forall y r(f(x)) \vee r(f(f(y)))$$

- $r(f(x)) \vee r(f(f(y))) (\leftarrow \text{true})$

- Assumption

$$\neg [\forall x \exists y p(f(x)) \wedge r(y)] \Leftrightarrow \exists x \forall y \neg [p(f(x)) \wedge r(y)] \Leftrightarrow$$

$$\forall y \neg [p(f(A)) \wedge r(y)] \Leftrightarrow \text{false} \leftarrow p(f(A)) \wedge r(y)$$

Solution

- $\text{false} \leftarrow p(f(A)) \wedge r(y)$

Solution

- $\text{false} \leftarrow p(f(A)) \wedge r(y)$
 - $p(x') \leftarrow r(f(x'))$
 - $\{x'/f(A)\}$
- $\text{false} \leftarrow r(f(f(A))) \wedge r(y)$

Solution

- $\text{false} \leftarrow p(f(A)) \wedge r(y)$
- $\text{false} \leftarrow r(f(f(A))) \wedge r(y)$
 - Factoring: $\text{mgu}(r(f(f(A))) = r(y)) = \{y/f(f(A))\}$
- $\text{false} \leftarrow r(f(f(A))) \wedge r(f(f(A)))$

Solution

$\{y/f(f(A))\}$

- $\text{false} \leftarrow p(f(A)) \wedge r(y)$
- $\text{false} \leftarrow r(f(f(A))) \wedge r(y)$
- $\text{false} \leftarrow r(f(f(A))) \wedge r(f(f(A)))$
 - $r(f(x')) \vee r(f(f(y')))$ ($\leftarrow \text{true}$)
 - Factoring: $\text{mgu}(r(f(x')) = r(f(f(y')))) = \{x'/f(y')\}$
 - $r(f(f(y')))$ ($\leftarrow \text{true}$)
 - $\{y'/A\}$
- $\text{false} \leftarrow \text{true} (\square)$